



Basic Information • Standard	○ Optional - None			
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding	
Manufacturer	BYD	BYD	BYD	
Level	Entry SUV	Entry SUV	Entry SUV	
Energy Type	Pure electric	Pure electric	Pure electric	
Electric Motor	Pure electric 95 horsepower	Pure electric 177 horsepower	Pure electric 177 horsepower	
Pure Electric Cruising Range (Km)	301	401	401	
Charging Time (Hours)	Charge fast for 0.5 hours	Charge fast for 0.5 hours	Charge fast for 0.5 hours	
Fast Charge (%)	30-80	30-80	30-80	
Maximum Power (kW)	70(95Ps)	130(177Ps)	130(177Ps)	
Maximum Torque (N·m)	180	290	290	
Gearbox	Single-speed transmission for electric vehicles	Single-speed transmission for electric vehicles	Single-speed transmission for electric vehicles	
LxWxH(mm)	4310x1830x1675	4310x1830x1675	4310x1830x1675	
Body Structure	5 door 5 seat SUV	5 door 5 seat SUV	5 door 5 seat SUV	
Maximum Speed (km/h)	150	160	160	
Official 100 km Acceleration Time (s)	12	7.9	7.9	
100km Power Consumption	12kWh	12.2kWh	12.2kWh	
Power Equivalent Fuel Consumption (L/100km)	1.36	1.38	1.38	
Body ● Standard ○ Optional - None				
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding	
Length(mm)	4310	4310	4310	



Width(mm)	1830	1830	1830
Height(mm)	1675	1675	1675
Wheelbase(mm)	2620	2620	2620
Front Track(mm)	1570	1570	1570
Rear Track(mm)	1570	1570	1570
Number of Doors (pcs)	5	5	5
Body Structure	SUV	SUV	SUV
Door Opening Mode	Vertical hinged door	Vertical hinged door	Vertical hinged door
Number of Seats (pcs)	5	5	5
Curb Weight (kg)	1430	1540	1540
Full Load Mass(kg)	1805	1915	1915
Luggage Compartment Capacity (L)	1320	1320	1320

Electric Motor ● Standard ○ Optional - None

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Motor Description	Pure electric 95 horsepower	Pure electric 177 horsepower	Pure electric 177 horsepower
Motor Type	Permanent Magnet / Synchronous	Permanent Magnet / Synchronous	Permanent Magnet / Synchronous
Total Motor Power (kW)	70	130	130
Motor Total Horsepower (Ps)	95	177	177
Motor Total Torque (N·m)	180	290	290
Front Motor Maximum Power (kW)	70	130	130
Front Motor Maximum Torque (N·m)	180	290	290
Number Of Driving Motors	Single motor	Single motor	Single motor



Motor Layout	Preposition	Preposition	Preposition		
Battery Charging • Standard	Battery Charging ● Standard ○ Optional - None				
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding		
Battery Type	LFP Battery	LFP Battery	LFP Battery		
Battery Characteristic Technology	Blade battery	Blade battery	Blade battery		
Cell Brand	BYD	BYD	BYD		
Battery Capacity (kWh)	32	45.12	45.12		
Charging Batteries	Charge fast for 0.5 hours	Charge fast for 0.5 hours	Charge fast for 0.5 hours		
	Fast charging interface	Fast charging interface	Fast charging interface		
Max Fast charge power (kw)	45	65	65		
Fast Charging Interface Location	Right fender	Right fender	Right fender		
Slow Charging Interface Location	Right fender	Right fender	Right fender		
Battery Temperature Management System	Low temperature heating	Low temperature heating	Low temperature heating		
-,	Liquid cooling	Liquid cooling	Liquid cooling		
VTOL Mobile Power Station Function	• Standard	Standard	Standard		
Gearbox • Standard ○ Option	al - None				
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding		
Gearbox Description	Single-speed transmission for electric vehicles	Single-speed transmission for electric vehicles	Single-speed transmission for electric vehicles		
Number of Gears	1	1	1		
Transmission Type	Fixed tooth ratio gearbox	Fixed tooth ratio gearbox	Fixed tooth ratio gearbox		
Chassis/Steering ● Standard ○ Optional - None					
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding		



Drive Mode	Front-wheel-drive layout	Front-wheel-drive layout	Front-wheel-drive layout
Front Suspension Form	McPherson type independent	McPherson type independent	McPherson type independent
Rear Suspension Form	Longitudinal torsion beam type non- independent suspension	Longitudinal torsion beam type non- independent suspension	Longitudinal torsion beam type non- independent suspension
Steering Type	Electric assist	Electric assist	Electric assist
Body Structure	Load-supporting	Load-supporting	Load-supporting

Wheels/Brakes • Standard ○ Optional - None

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Front Brake Type	Ventilated disc	Ventilated disc	Ventilated disc
Rear Brake Type	Solid disk type	Solid disk type	Solid disk type
Parking Brake Type	Electronic parking	Electronic parking	Electronic parking
Front Tire Size	215/65 R16	215/65 R16	215/65 R16
Rear Tire Size	215/65 R16	215/65 R16	215/65 R16

Active safety ● Standard ○ Optional - None

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
ABS Anti-lock	Standard	Standard	Standard
Brake Force Distribution (EBD/CBC,	Standard	Standard	Standard
Brake Assist (EBA/BA, etc.)	Standard	Standard	Standard
Traction Control (TCS/ASR. etc.)	Standard	Standard	Standard
Body Stabilization System (ESP/DSC,	Standard	Standard	Standard
Active Safety Early Warning System	-	-	Lane departure warning
	-	-	Forward collision warning
	-	-	Rear collision warning



	-	-	Astern side warning
	-	-	o DOW door opening warning
Active Braking	·-	' <u>-</u>	o Optional
Parallel Assist	-	-	o Optional
Lane Keeping Assist	·-	' <u>-</u>	o Optional
Lane Centering	-	-	o Optional
Road Traffic Sign Recognition	-	-	o Optional
Passive Safety Standard ○ Op	otional - None		
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Front Airbag	The main driver	The main driver	The main driver
	Co-pilot position	Co-pilot position	Co-pilot position
Side Airbag	Front row	• Front row	• Front row
Side Air Curtain	·-	Standard	Standard
Seat Belt Not Fastened Reminder	Standard	Standard	Standard
Tire Pressure Monitoring System	RPA run flat indicator	RPA run flat indicator	Tire pressure display
Child Seat Interface (ISOFIX)	Standard	Standard	Standard
Assist/Control Configuration •	Standard ○ Optional - None		
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Parking Radar	• Forward	Forward	• Forward
	Back	• Back	• Back
Driving Assistance Video	Reverse image	Reverse image	Reverse image
	• 360° Panoramic image	360° Panoramic image	360° Panoramic image



Cruise System	Cruise Control	Cruise Control	Cruise Control
	-	-	Adaptive cruise
	•	•	Full speed adaptive cruise
Assisted Driving Level	-	-	∘ L2
AUTOHOLD	Standard	Standard	Standard
Hill Assist (HAC)	Standard	Standard	Standard
Hill Descent (HDC)	Standard	Standard	Standard
Driving Mode Selection	• Sports	Sports	• Sports
	• ECO	• ECO	• ECO
	Standard comfort	Standard comfort	Standard comfort
Brake Energy Recovery System	Standard	Standard	Standard
Low-speed Driving Warning Sound	Standard	Standard	Standard
External Configuration • Stand	dend Ontional Name		
External Configuration • Stand	dard o Optional - None		
Model Stand	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
		Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding • Unopenable panoramic skylight
Model		Yuan UP 2024 401KM Leading Model -	
Model Sunroof Type			Unopenable panoramic skylight
Model Sunroof Type Car roof carriers	Yuan UP 2024 301KM Leading Model -	-	Unopenable panoramic skylight Standard
Model Sunroof Type Car roof carriers Aluminum Alloy Wheels	Yuan UP 2024 301KM Leading Model - • Standard • Standard	- Standard	Unopenable panoramic skylight Standard Standard
Model Sunroof Type Car roof carriers Aluminum Alloy Wheels Hidden Door Handle	Yuan UP 2024 301KM Leading Model - • Standard • Standard	- Standard	Unopenable panoramic skylight Standard Standard
Model Sunroof Type Car roof carriers Aluminum Alloy Wheels Hidden Door Handle Internal Configuration • Stand	Yuan UP 2024 301KM Leading Model - • Standard • Standard ard ○ Optional - None	- • Standard • Standard	Unopenable panoramic skylight Standard Standard Standard
Model Sunroof Type Car roof carriers Aluminum Alloy Wheels Hidden Door Handle Internal Configuration • Stand	Yuan UP 2024 301KM Leading Model - • Standard • Standard ard • Optional - None Yuan UP 2024 301KM Leading Model	Standard Standard Yuan UP 2024 401KM Leading Model	Unopenable panoramic skylight Standard Standard Standard Yuan UP 2024 Model 401KM Exceeding



Steering Wheel Function	Multifunction control	Multifunction control	Multifunction control
Trip Computer Screen	Colour	Colour	Colour
Liquid Crystal Instrument Style	• Full LCD	• Full LCD	• Full LCD
LCD Instrument Dimensions (inch)	• 8.8	• 8.8	• 8.8
Comfort/anti-theft Configura	ition ● Standard ○ Optional - Non	•	
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Car Central Control Lock	Standard	Standard	Standard
Remote Key Type	Mobile phone bluetooth key	Mobile phone bluetooth key	Mobile phone bluetooth key
	Intelligent remote key	Intelligent remote key	Intelligent remote key
	NFC/RFID keys	NFC/RFID keys	NFC/RFID keys
Key-Less Entry	Main driving seat	Main driving seat	Main driving seat
Key-Less Start	Standard	Standard	Standard
Remote Start	Standard	Standard	Standard
Remote Control Mobile Vehicle	Standard	Standard	Standard
Head-Up Display System (HUD)		<u>-</u>	o Optional
HUD Projection Size (inches)	-	-	∘ 8
Built-in Driving Recorder	•	Standard	Standard
Original ETC	Standard	Standard	• Standard
Mobile Phone Wireless Charging	-	-	Standard
Seat Configuration • Standa	rd o Optional - None		
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding

•Imitation leather



•Imitation leather

Seat Material

www.emotors.cr +506 7265 7276

•Imitation leather

Seat Layout	• 2+3	• 2+3	• 2+3
Electric Seat Adjustment	-	-	Main driving seat
	-	-	Passenger seat
Overall Adjustment Of The Main Driver Seat	Up and down	Up and down	Up and down
	Front and rear	Front and rear	Front and rear
	Backrest angle	Backrest angle	Backrest angle
Passenger Seat Overall Adjustment	Front and rear	Front and rear	Front and rear
	Backrest angle	Backrest angle	Backrest angle
Front/Rear Armrests	• Front row	Front row	• Front row
		-	o Back row
Rear Cup Holder	-	-	o Optional
Rear Seat Reclining Ratio	• 40:60	• 40:60	• 40:60
Intelligent Interconnection • St	andard ○ Optional - None		
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Center Control Screen Size (inches)	•10.1	• 12.8	• 12.8
Center Control Panel Can Be Rotated/Moved	Standard	Standard	Standard
GPS Navigation System	Standard	Standard	Standard
Navigation Traffic Information Display	Standard	Standard	Standard
Bluetooth/Car Phone	Standard	Standard	Standard
Car Networking	Standard	Standard	Standard
4G/5G Network	• 4G	• 4G	• 4G
OTA Upgrade	Standard	Standard	Standard



Voice Recognition Control System	Standard	• Standard	Standard
Voice Wake-up Free Function	Standard	Standard	Standard
Voice Region Wake-up Recognition Function	Main driver's seat	Main driver's seat	Main driver's seat
Continuous Voice Recognition	Standard	Standard	Standard
Wi-Fi Hotspot	Standard	Standard	Standard

Media Entertainment ● Standard ○ Optional - None

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Application Store	Standard	Standard	Standard
Multimedia Interface	USB/Type-C	USB/Type-C	USB/Type-C
Number of USB/Type-C Ports	• 2 front row	• 2 front row	• 2 front row
	• 2 back row	• 2 back row	• 2 back row
Number Of Speakers (PCS)	• 6	• 6	• 6
			∘ 8

LIGHTING PLAN ● Standard ○ Optional - None

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Dipped Headlight	• LED	• LED	• LED
Headlights On Full Beam	• LED	• LED	• LED
Daytime Running Light	Standard	Standard	Standard
Adaptive Near and Far Light	-	-	o Optional
Automatic Headlight Activation	Standard	Standard	Standard
Headlight Height Adjustment	Standard	Standard	Standard
Headlights Turn Off Late	Standard	Standard	Standard



Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Power Window	• Front row	• Front row	• Front row
	Back row	Back row	Back row
he Window Is Raised And Lowered By One Click	Main driver's seat	Main driver's seat	Whole car
/indow anti-clamping function	Standard	Standard	Standard
Exterior Rearview Mirror Function	Electrical circuitry control	Electrical circuitry control	Electrical circuitry control
	Heating	Heating	Heating
	-	-	Electric folding
Car Mirror	Main driver seat + lighting	Main driver seat + lighting	Main driver seat + lighting
	Passenger seat + lighting	Passenger seat + lighting	Passenger seat + lighting
Rear Wiper	Standard	Standard	Standard
Air Conditioner/Refrigerator	 Standard ○ Optional - None 		
Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
nodel			
Air Conditioning Control Mode	Automatic	Automatic	Automatic
	Automatic Standard	Automatic Standard	Automatic Standard
Nir Conditioning Control Mode	Standard		
nir Conditioning Control Mode M2.5 Filter Device in car Intelligent Configuration • St	Standard		
ir Conditioning Control Mode M2.5 Filter Device in car ntelligent Configuration • St	• Standard andard • Optional - None	Standard	Standard
ir Conditioning Control Mode M2.5 Filter Device in car ntelligent Configuration • St lodel ehicle Intelligent System	Standard andard • Optional - None Yuan UP 2024 301KM Leading Model	Standard Yuan UP 2024 401KM Leading Model	Standard Yuan UP 2024 Model 401KM Exceeding
Air Conditioning Control Mode PM2.5 Filter Device in car	Standard andard Optional - None Yuan UP 2024 301KM Leading Model DiLink	Standard Yuan UP 2024 401KM Leading Model DiLink	Standard Yuan UP 2024 Model 401KM Exceeding DiLink



	Remote control	Remote control	Remote control
	Digital Key	Digital Key	Digital Key
Heat Pump Management System	Standard	Standard	Standard
Number Of External Cameras (PCS)	• 4	-	-
	-	• 5	• 5
	-	-	∘ 6
Number Of Ultrasonic Radars (PCS)	• 4	• 4	• 6
Number Of Millimeter Wave Radars	-	-	03
Optional package ● Standard ○ Optional - None			

Model	Yuan UP 2024 301KM Leading Model	Yuan UP 2024 401KM Leading Model	Yuan UP 2024 Model 401KM Exceeding
Smart Optional Package	-	-	Rear seat center headrest, rear seat center armrest (with double cup holders), 17-inch Smart Wind aluminum wheels, Optional
Bold Powder Vitality Version	Kokang powder exterior color Kokang powder interior color Optional	Kokang powder exterior color Kokang powder interior color Optional	Kokang powder exterior color Kokang powder interior color Optional

ELECTRIC VEHICLES

